

Bench centrifuge mod. CENTRIC 350

vel.max 15.000 rpm

The centrifuge mod. CENTRIC 350 is a universal laboratory centrifuge, designed for use in medical, industrial and scientific laboratories for the separation of substances with different relative densities by means of centrifugal force.

The maximum rotational speed of 15,000 rpm gives the centrifugal force of 21,630 x g.

Max capacity 4 x 100 ml.



Extensive use of programming options and electronic operation control allow for trouble-free use of the centrifuge. With a special drive, quiet, maintenance-free operation with induction motor is guaranteed.

The device is equipped with intuitive options that simplify standard operations and settings. Built-in error detection functions prevent the user from entering incorrect values and checking the complete operation.

The centrifuge has the option to save programs. Up to 100 different data sets can be saved in the program archive. The centrifuge always keeps the last run program in memory for an unlimited amount of time, allowing the program to be restarted at any time, even if the centrifuge was turned off during operation. All important operating parameters can be seen at a glance.

Settings are made with the knobs and buttons on the control panel.

The inside of the centrifuge is also easy to clean.

We can offer you a device that combines functional variety with practical applications.

Made in EU

On request available in the version with IVD certificate of conformity.

Technical data

Diet	230V - 50-60 Hz
Absorption	500W
Fuses	2x10A T - 230V
Rotation speed max	from 200 to 15,000 rpm
Rotation speed adjustment	In 10 rpm steps

Timer	0 - 99 min. or HOLD function
Acceleration / deceleration	0 - 9 levels
Usage temperature	from + 2 ° C to + 35 ° C
Dimensions (LxWxH)	405x500x325 mm
Weight	32 kg

External dimensions of the product

Height	325 mm
Width	405 mm
Depth	500 mm
Weight	32 Kg

Code	Description
D5473000	Bench centrifuge mod. CENTRIC 350 vel.max 15.000 rpm

Accessories







Foto	Code	Description
	D5456600	
	D5456620	
	D5456630	
	D5457200	
	D5457320	
	D5457340	

Foto	Code	Description
	D5457380	
	D5473380	
	D5473400	
		