


Membrane vacuum pump mod. RCK 400

Flow rate (max.): 34 l/min - Max. vacuum: 99 mbar abs.

RCK oil-free pumps are compact in size, light in weight and oil-mist-free, making them the best pal in laboratory

Equipped with Prote™ overflow protection to prevent liquid from being sucked into the pump.



Air inlet protection

Filter cartridge at air inlet filters particles and moisture, which prevents pumps from damage.

Vacuum regulation

Equipped with vacuum gauge and regulator for vacuum monitoring and adjustment.

Overheat protection

All Rocker oil-free pumps are equipped with overheat protection device that shuts down when overheated and resumes once cooled down, making the pumps safer and long-lasting.

International Certificates

- CE certification
- UKCA certification
- CSA certification
- IP 30 protection
- RoHS certification

Applications

Vacuum filtration
Suspended solid test
Microbial detect
Air sampling

TWO YEAR WARRANTY

Technical data

Rocker 400 220V/50Hz

- ☑ Max. power: 80W
- ☑ Max. current: 0.4A
- ☑ Max. vacuum: 99 mbar abs.
- ☑ Max. flow rate: 34 L/min

- ☑ Noise level: 52 dB
- ☑ Hose barb: ID8
- ☑ Net weight: 5.2Kg
- ☑ Dimension (LxWxH): 31 x 14 x 20 cm
- ☑ Vacuum regulator: Yes
- ☑ Filter cartridge: Yes
- ☑ Overflow protection: Yes
- ☑ Thermal protection: Yes

Code	Description
C0225400	Membrane vacuum pump mod. RCK 400 Flow rate (max.): 34 l/min - Max. vacuum: 99 mbar abs.