

Sample Concentrator SC-200-96

for 96 wells

SC-200-96 Series Sample Concentrators

- Small size makes it ideal for use under a fume hood
- Variable needle position suits various Dri-Block® inserts
- Needles, block, and block heater sold separately
- For 0.2 mL microcentrifuge tubes to 26 mm tubes
- Three year warranty



INCLUDES

Gas reservoir and stand.

- Variable needle position suits various Dri-Block® inserts
- Small size makes it ideal for use under a fume hood
- Needles, block, and block heater sold separately
- For 96-well plate
- Three year warranty

Concentrator blows an inert gas over the surface of your samples via stainless steel needles (not included). Blown gas in combination with the heat from the heater produce ideal conditions for fast efficient evaporation. Insert needles into a silicone membrane in any configuration. Fully adjustable gas reservoir provides accurate height control. Maximum vertical traveling distance is 32 cm. Maximum gas usage is 15 L/min. Order PTFE-coated needles for use with corrosive samples.

ACCESSORIES

C73662096	Pack of 100 needles, 76 mm long
C73662097	Pack of 100 needles, 127 mm long
C73662099	Pack of 100 PTFE coated needles, 76 mm long
C73662098	Pack of 100 PTFE coated needles, 127 mm long
C73662067	Plastic spacers for Sample Concentrator (pack of 2)
C79995007	Replacement gas chamber sealing pad

External dimensions of the product

Height	530 mm
Width	240 mm
Depth	300 mm

Code	Description
C73662043	Sample Concentrator SC-200-96 for 96 wells